

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	33752	("user-defined" or user adj defined or user?defined or custom\$4) same (aggregat\$3 or sum\$3 or collect\$3 or accumulat\$3) same (class or code or method or procedure or instance or object)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 15:22
S2	12425	(db or database or dbms) and ("user-defined" or user adj defined or user?defined or custom\$4) same (aggregat\$3 or sum\$3 or collect\$3 or accumulat\$3) same (class or code or method or procedure or instance or object)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 15:48
S3	6464	(db or database or dbms) and ("user-defined" or user adj defined or user?defined or custom\$4) same (aggregat\$3 or sum\$3 or collect\$3 or accumulat\$3) with (class or code or method or procedure or instance or object)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 15:42
S4	5104	(db or database or dbms) and ("user-defined" or user adj defined or user?defined or custom\$4) same (aggregat\$3 or sum\$3 or collect\$3 or accumulat\$3) with (class or code or method or procedure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 15:23
S5	2950	(db or database or dbms) and ("user-defined" or user adj defined or user?defined or custom\$4) with (aggregat\$3 or sum\$3 or collect\$3 or accumulat\$3) with (class or code or method or procedure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 15:24
S6	1439	(db or database or dbms) and ("user-defined" or user adj defined or user?defined or custom\$4) near4 (aggregat\$3 or sum\$3 or collect\$3 or accumulat\$3) with (class or code or method or procedure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 15:24
S7	703	(db or database or dbms) and ("user-defined" or user adj defined or user?defined or custom\$4) near4 (aggregat\$3 or sum\$3 or collect\$3 or accumulat\$3) near4 (class or code or method or procedure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 15:24

EAST Search History

S8	214	(db or database or dbms) and ("user-defined" or user adj defined or user?defined or custom\$4) near2 (aggregat\$3 or sum\$3 or collect\$3 or accumulat\$3) near2 (class or code or method or procedure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 15:24
S9	72	(db or database or dbms) and ("user-defined" or user adj defined or user?defined or custom\$4) near (aggregat\$3 or sum\$3 or collect\$3 or accumulat\$3) near (class or code or method or procedure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 15:24
S10	19	(db or database or dbms) same ("user-defined" or user adj defined or user?defined or custom\$4) near (aggregat\$3 or sum\$3 or collect\$3 or accumulat\$3) near (class or code or method or procedure)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 15:25
S11	2106	(db or database or dbms) and ("user-defined" or user adj defined or user?defined or custom\$4) same (aggregat\$3 or sum\$3 or collect\$3 or accumulat\$3) same (class or code or method or procedure or instance or object) same (interface or contract)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 15:43
S12	251	(db or database or dbms) and ("user-defined" or user adj defined or user?defined or custom\$4) with (aggregat\$3 or sum\$3 or collect\$3 or accumulat\$3) with (class or code or method or procedure or instance or object) with (interface or contract)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 15:43
S13	26	(db or database or dbms) and ("user-defined" or user adj defined or user?defined or custom\$4) near (aggregat\$3 or sum\$3 or collect\$3 or accumulat\$3) with (class or code or method or procedure or instance or object) with (interface or contract)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 15:44
S14	35	(db or database or dbms) and ("user-defined" or user adj defined or user?defined or custom\$4) near4 (aggregat\$3 or sum\$3 or collect\$3 or accumulat\$3) near4 (class or code or method or procedure or instance or object) with (interface or contract)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 15:45

EAST Search History

S15	80	(db or database or dbms) and ("user-defined" or user adj defined or user?defined or custom\$4) same (aggregat\$3 or sum\$3 or collect\$3 or accumul\$3) same (class or code or method or procedure or instance or object) same (serializ\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 16:06
S16	1	(db or database or dbms) and ("user-defined" or user adj defined or user?defined or custom\$4) same (aggregat\$3 or sum\$3 or collect\$3 or accumul\$3) same (class or code or method or procedure or instance or object) and "native serialization"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 16:07
S17	2	"native serialization"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/03 11:45



[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

reflection metadata ".net"

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

☒ Search only in Engineering, Computer Science, and Mathematics.

☐ Search in all subject areas.

Scholar [All articles](#) - [Recent articles](#)

Results 1 - 10 of about 1,680 for **reflection metadata ".net"**. (0.11 seconds)

All Results

[B Smith](#)

[J Richter](#)

[D Box](#)

[C Sells](#)

[W Schult](#)

[Aspect-oriented programming with C# and .NET - all 14 versions »](#)

W Schult, A Polze - Object-Oriented Real-Time Distributed Computing. 2002.(ISORC 2002 - [ieeexplore.ieee.org](#)

... Our tool uses introspection and **reflection** techniques based on **metadata** in the .NET Common Language Runtime (CLR) to detect function signatures exported by a ...
Cited by 29 - [Related Articles](#) - [Web Search](#)

[Exploiting Reflection and Metadata to build Mobile Computing Middleware - all 8 versions »](#)

L Capra, W Emmerich, C Mascolo - Workshop on Middleware Mobile Computing, IFIP/ACM, 2001 - [mediate.cs.fiu.edu](#)

... In this paper we have discussed an approach based on the principles of **reflection** and **metadata**. ... In Proceedings of REFLECTION 2001. ... 7. **Meta Data** Coalition. ...
Cited by 12 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Procedural reflection in programming languages](#)

BC Smith - 1982 - [dspace.mit.edu](#)

Full **metadata** record. DC Field, Value, Language. ... identifier.uri, <http://hdl.handle.net/1721.1/15961>, -. ... title, Procedural **reflection** in programming languages, en_US ...
Cited by 56 - [Related Articles](#) - [Cached](#) - [Web Search](#) - [Library Search](#)

[.NET is coming \[Microsoft Web services platform\] - all 18 versions »](#)

B Meyer - Computer, 2001 - [ieeexplore.ieee.org](#)

... assembly's interface to obtain information from the **meta- data**. ... access the **metadata** via the **Reflection** library. Because the **metadata** is also available in XML ...
Cited by 26 - [Related Articles](#) - [Web Search](#) - [Library Search](#)

[LOOM .NET-An Aspect Weaving Tool - all 2 versions »](#)

W Schult, P Troeger, A Polze - Workshop on Aspect-Oriented Programming, ECOOP - [tuplespaces.net](#)
... LOOM .NET uses **metadata** and **reflection** mechanisms to examine the compiled assemblies and to generate the proxy. ... 1.1 **Metadata** and **Reflection** in .NET ...
Cited by 3 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Building trust in third-party components using component wrappers in the .NET frameworks - all 5 versions »](#)

CA Mingins, CY Chan - Proceedings of the Fortieth International Confernece on ..., 2002 - [portal.acm.org](#)
... The design and construction of the Contract Tool was straightforward; thanks to the powerful **reflection** capabilities of the .NET **metadata**. ...
Cited by 4 - [Related Articles](#) - [Web Search](#)

[Hosting the .NET Runtime in Microsoft SQL server - all 2 versions »](#)

A Acheson, G Schaller, B Sezgin, R Venkatesh, H ... - Proceedings of the 2004 ACM SIGMOD international conference ..., 2004 - [portal.acm.org](#)
... All .NET compilers consume these annotations without interpretation and store them ... in the same way as any other **metadata** using a common set of **reflection** APIs ...
Cited by 3 - [Related Articles](#) - [Web Search](#)

[book] [Essential. Net: The Common Language Runtime - all 2 versions »](#)

D Box, C Sells - 2002 - books.google.com

... 168 Figure 6.5: System.**Reflection**.MethodInfo 175 ... Table 1.1: **.NET** Language Features

12 ... Chapter 6: Methods Table 6.1: **Metadata** Attributes and Virtual Methods 161 ...

Cited by 51 - Related Articles - Web Search - Library Search

Scenario based Generative component Adaptation in **.NET** framework

B Wang, X Liu, J Kerridge, Y Li - Information Reuse and Integration, 2004. IRI 2004. ..., 2004 -
ieeexplore.ieee.org

... more component-oriented [5]. **.NET** framework provides an environment facilitating
the realization of SAGA approach through **metadata**, **reflection** and dynamic ...

Cited by 1 - Related Articles - Web Search

ESys. Net: a new solution for embedded systems modeling and simulation - all 2 versions »

J Lapalme, EM Aboulhamid, G Nicolescu, L Charest, ... - ACM SIGPLAN Notices, 2004 - portal.acm.org

... important functionalities such as thread management and **reflection**. ... debugging and
analysis; - the **metadata** may be ... not support macros and **meta-data** so embedding ...

Cited by 4 - Related Articles - Web Search - BL Direct

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

reflection metadata ".net"

Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google



[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

☒ Search only in Engineering, Computer Science, and Mathematics.

☐ Search in all subject areas.

Scholar [All articles](#) - [Recent articles](#) Results 1 - 10 of about 9,730 for [java implement interface sql parameter](#). (0.07 s)

All Results

[G Czajkowski](#)

[J Bloch](#)

[T von Eicken](#)

[J Carroll](#)

[I Dickinson](#)

[\[book\] Just Java 2 - all 5 versions »](#)

P Van der Linden - 2004 - go.theregister.com

... Generic Interfaces. Bounds-Requirement a Type **Parameter** to **Implement** an **Interface** or Extend a Parent Class. ... III. Server-side **Java**. 16. Collections. ...

Cited by 49 - [Related Articles](#) - [Cached](#) - [Web Search](#) - [Library Search](#)

[Java-based query driven simulation environment - all 5 versions »](#)

RS Nair, JA Miller, Z Zhang - Proceedings of the 28th conference on Winter simulation, 1996 - portal.acm.org

... providing him/her with a graphical **interface** in which a model can be ... a library of **Java** classes. ... s built-in support for threads helped us in **implementing** a true ...

Cited by 57 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[JRes: a resource accounting interface for Java - all 13 versions »](#)

G Czajkowski, T von Eicken - Proceedings of the 13th ACM SIGPLAN conference on Object- ..., 1998 - portal.acm.org

... This effectively **implements** the policy that every thread ... extensible server, some threads may **implement** an **interface** ... In other words, any valid **Java** program is ...

Cited by 202 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Automatic generation of Java/SQL based inference engines from RDF Schema and RuleML - all 5 versions »](#)

A Eberhart - Proceedings of the First International Semantic Web ... - Springer

... results in the following **Java** interfaces: ... StudentWorkerImpl extends PersonImpl **implements** StudentWorker ... **implement** Student, Worker, and StudentWorker methods } ...

Cited by 15 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Solving the Java object storage problem - all 7 versions »](#)

D Barry, T Stanienda - Computer, 1998 - ieeexplore.ieee.org

... persistence-capable classes **implements** PersistenceCapable { protected ... It is impossible to **implement** parallel transactions ... he DMG binding for **Java** offers native ...

Cited by 14 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Multi Player, Internet And Java-based Simulation Games: learning And Research In Implementing A ... - all 3 versions »](#)

G Ravid, S Rafaeli - Web-based Modeling and Simulation WEBSIM, 2000 - hulia.haifa.ac.il

... GAMES: LEARNING AND RESEARCH IN **IMPLEMENTING** A COMPUTERIZED ... Both player and administrator **interface** with a ... Remote Method Invocation) and JDBC (**Java** Data Base ...

Cited by 6 - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [BL Direct](#)

[Generics in the Java Programming Language - all 43 versions »](#)

G Bracha - Tutorial, Sun Microsystems, Mar, 2004 - mcs.vuw.ac.nz

... in JDK 1.5 is that the class **java.lang.Class** ... can declare a class EmplInfoFactory to support the **Factory interface** ... class EmplInfoFactory **implements** Factory<EmplInfo ...

Cited by 31 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Database access with HTML and Java-a comparison based on practical experiences - all 6 versions »](#)

